

EOL Announcement

To optimize the production process, 3onedata announces the end-of-sale and end-of-life dates for the USB232 V2.1.0 and USB485C V2.0.0.

USB232 V2.1.0 and USB485C V2.0.0 will be phased out in the near future, and new products USB232 V2.2.0 and USB485C V3.0.0 will be released to meet the needs of customers.

The discontinuation date for the critical service of the related products are shown in Table 1. Also, Table 2 shows substitution relationship between new and old products, and Table 3 shows the differences between the appearance of the USB232 V2.1.0 and USB232 V2.2.0, USB485C V2.0.0 and USB485C V3.0.0.





Table 1: End-of-life milestones and dates for USB232 V2.1.0 and USB485C V2.0.0.

Milestone		Description	Time
Effective Date		The effective date of this announcement document.	2023/10/10
End of sale		The last date to order theUSB232 V2.1.0 and USB485C V2.0.0 through 3onedata point-of-sale mechanisms. The product is no longer for sale after this date.	2023/10/10
End of production		The last date when the USB232 V2.1.0 and USB485C V2.0.0 series officially ceased production. After this date, production of this product will no longer be arranged.	2023/10/10
End of Support	End of technical support	The last date 3onedata releases technical support for USB232 V2.1.0 and USB485C V2.0.0. After the day, no technical support will be provided for this product series.	2026/10/10
	End of after-sale service	The last date 3onedata releases after-sale service for USB232 V2.1.0 and USB485C V2.0.0. After the day, no after sale service will be provided for this product series.	2026/10/10

Table 2: List of product substitution relationships

Current Products		Alternative Products	
Model and Version	PN	Model and Version	PN
USB232 V2.1.0	5006020101001	USB232 V2.2.0	5006020101010
USB485C V2.0.0	5006020102001	USB485C V3.0.0	5006020102011

Table 3: Appearance of the USB232 V2.1.0 (left) and USB232 V2.2.0 (right), USB485C V2.0.0 (left) and USB485C V3.0.0 (right)


USB232 V2.1.0	USB232 V2.2.0
	
USB485C V2.0.0	USB485C V3.0.0
	

Remark:

Differences between USB232 V2.1.0 and USB232 V2.2.0, USB485C V2.0.0 and USB485C V3.0.0 are as follows:

1. LED

The plug-in LEDs of USB232 V2.1.0 and USB485C V2.0.0 are




replaced with SMD LEDs of USB232 V2.2.0 and USB485C V3.0.0

2. Logo

3onedata logo added to product packaging of USB232 V2.2.0 and USB485C V3.0.0

We hope that this announcement will help you plan ahead for your future network and this measure will not affect the existing service relationship and quality of service.

The explanation of the above content belongs to 3onedata.



3onedata Co., Ltd.

Jan 3rd, 2024

