

EOL Announcement

Due to force majeure factors such as chips and raw materials supply discontinuation, and to achieve unified management of product models and styles, 3onedata announces the end-of-sale and end-of-life dates for the IES1024 V3.0.0 series switches.

IES1024 V3.0.0 series will be phased out in the near future, and new products IES1100 V1.0.0 will be released to meet the needs of customers.

The discontinuation date for the critical service of the related products are shown in Table 1. Also, Table 2 shows substitution relationship between new and old products, and Table 3 shows the differences between the appearance of the IES1024 V3.0.0 series and IES1100 V1.0.0 series.










Table 1: End-of-life milestones and dates for 3onedata IES1024 V3.0.0 series.


Milestone		Description	Time
Effective Date		The effective date of this announcement document.	2024/07/04
End of sale		The last date to order the IES1024 V3.0.0 series through 3onedata point-of-sale mechanisms. The product is no longer for sale after this date.	2024/09/11
End of production		The last date when the IES1024 V3.0.0 series officially ceased production. After this date, production of this product will no longer be arranged.	2024/12/11
End of Support	End of technical support	The last date 3onedata releases technical support for IES1024 V3.0.0 series. After the day, no technical support will be provided for this product series.	2029/09/03
	End of after-sale service	The last date 3onedata releases after-sale service for IES1024 V3.0.0 series. After the day, no after sale service will be provided for this product series.	2029/09/03

Table 2: List of product substitution relationships

Current Products		Alternative Products	
Model and Version	PN	Model and Version	PN
IES1024 V3.0.0	5002010701002	IES1100-24T V1.0.0	5002017401010
IES1024-2F V3.0.0	5002010702002	IES1100-22T2F V1.0.0	5002017403012
IES1024-4F V3.0.0	5002010703002	IES1100-20T4F V1.0.0	5002017404013
IES1024-8F V3.0.0	5002010704003	IES1100-16T8F V1.0.0	5002017405015
IES1024-12F V3.0.0	5002010705002	/	/
IES1024-16F V3.0.0	5002010706002	IES1100-8T16F V1.0.0	5002017406014
IES1024-20F V2.0.0	5002010707001	/	/
IES1024-24F V2.0.0	5002010708001	IES1100-24F V1.0.0	5002017402011

Table 3: Appearance of the IES1024 V3.0.0 (left) and IES1100 V1.0.0 (right)

IES1024 V3.0.0 series	IES1100 V1.0.0 series
	
	
	
	
	/



Remark:

Differences between IES1024 V3.0.0 series and IES1100 V1.0.0 series are as follows:

1. Dimension (W x H x D)

The dimension of IES1024 V3.0.0 series is 441.6*44.6*207.9mm. The size of the IES1100 V1.0.0 series is 440*44*207mm.

2. Power Supply

The IES1024 V3.0.0 series supports single or dual 100~240VAC/DC, 12~36VDC, or 36~48VDC power supply. The IES1100 V1.0.0 series supports dual 18~72VDC or 85~264VAC/DC power supply.

3. IP Rating

The IES1024 V3.0.0 series is IP30 protection level. The IES1100 V1.0.0 series is IP40 protection level.

We hope that this announcement will help you plan ahead for your future network and this measure will not affect the existing service relationship and quality of service.

The explanation of the above content belongs to 3onedata.

3onedata Co., Ltd.

July 4th, 2024

